



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/456,558	12/08/1999	RENE BERTOCCHIO	2988-700-999	6610

7590

01/22/2004

Charles Miller
Pennie & Edmonds
1155 Avenue of the Americas
New York, NY 10036

EXAMINER

CINTINS, IVARS C

ART UNIT	PAPER NUMBER
----------	--------------

1724

DATE MAILED: 01/22/2004

30

Please find below and/or attached an Office communication concerning this application or proceeding.

01030

Office Action Summary

Application No.

09/456,558

Applicant(s)

BERTOCCIO, RENE

Examiner

Ivars C. Cintins

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 November 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 11-14, 16, 17, 21 and 22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-5, 11-14, 16, 17, 21 and 22 is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 November 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 26.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

Art Unit: 1724

Claims 1-5, 11-14, 16, 17, 21 and 22 are allowed. Accordingly, this application is in condition for allowance except for the following formal matters: the description of element 2 as a flow meter on page 14 of the specification, as amended on October 23, 2002, does not appear to be supported by the disclosure originally filed, and hence constitutes **new matter**.

The objections to the abstract and detailed description of the invention contained in the Office action dated January 15, 2003 (i.e. items 1 and 3) have been overcome by Applicant's amendments to the abstract, and the deletion of reference numbers 17, 20 and 21 from Figure 1 of the drawings.

Applicant's remarks filed November 12, 2003 have been noted and carefully considered but are not deemed to be persuasive. Applicant argues that the amendment to the specification to include a description of drawing element 2 does not constitute new matter, because one of ordinary skill in the art would recognize that this element is a flow meter based on the statement in the specification that the flow rate of the stream of F32 in the present invention can be determined without excessive difficulty; and by the specified flow rate in the examples. It is pointed out, however, that while it is true that page 9, lines 1-7, of the original specification states that the flow rate of the stream of F32 to be dried can be determined without excessive difficulty by a person skilled in the art, by means of calculation and tests, as a function of the size of the industrial plant, and while it is further true that Example 1 discloses circulating F32 gas through a drying tube at a specific flow rate (i.e. 44 l/h); nowhere does this original disclosure teach or suggest placing a flow meter between a membrane pump (i.e. 1) and a humidifier (i.e. 3). Accordingly, Applicant's attempt to describe element 2 of the drawings as a flow meter is deemed to constitute new matter.

Art Unit: 1724


Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to I. Cintins whose telephone number is (571) 272-1155. The examiner can normally be reached on Monday through Friday from 8:30 AM to 5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Blaine Copenheaver, can be reached at (571) 272-1156.

The centralized facsimile number for the USPTO is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-0987.


Ivars C. Cintins
Primary Examiner
Art Unit 1724

I. Cintins
January 6, 2004